




Fersa Clutch Kits

THE MOST COMPLETE SOLUTION FOR YOUR CLUTCH SYSTEM

Discover the New Range of Clutch Kits

We go further to offer you the best solution

The perfect choice if you value quality, performance, and affordability.

All-in-one solution for simplified repair.

Our heavy-duty vehicle clutch kits include everything needed for a quick and efficient installation, reducing downtime and ensuring maximum performance in every trip.

Guaranteed compatibility.

With our clutch kits, there's guaranteed compatibility for a hassle-free installation on any of the specified models.

Manufactured under the highest quality standards.

Designed to enhance performance, durability, and driving comfort.



Quality and reliability in each kit:


Our clutch kits provide durability and easy installation, simplifying repair and ensuring compatibility.

We are committed to developing high quality products that adapt to the different applications and requirements of our customers, offering reliability, know-how and quality.



Check our warranty in the following QR code:

Scan the QR code for all details of our warranty and discover how we protect your investment supporting every clutch kit.



FCRK 001

European OEM numbers:

RENAULT TRUCKS: 50 01 868 533* 50 01 868 533

VOLVO: 85000907* 85003972

European cross references:

LUK: 643 3324 09

SACHS: 3400 700 359* 3400 700 618

VALEO: 827426

Brazilian cross references:

SACHS: 3400 001 350* 3400 700 618

Remarks:

Disc diameter 430 mm.

Available complete version FCRK 014 with pneumatic clutch actuator CLAC P 001.



FCRK 002

European cross references:

SACHS: 3400 122 701* 3400 001 609

VALEO: 643 3316 00

Brazilian cross references:

SACHS: 6535* 3400 000 326* 6535 03* 232539

Remarks:

Disc diameter 430 mm.



FCRK 003

European OEM numbers:

RENAULT TRUCKS: 74 85 013 887* 74 85 013 887

VOLVO: 85013893

European cross references:

LUK: 643 3324 09

SACHS: 3400 700 601

VALEO: 827512


Brazilian cross references:

SACHS: 3400 700 601

Remarks:

Disc diameter 430 mm.

Available complete version FCRK 015 with pneumatic clutch actuator CLAC P 001.



Representative image*

FCRK 004

European cross references:

SACHS: 3400 700 356

VALEO: 827052

Brazilian cross references:

SACHS: 6450* 3400 000 255* 228306* 232518*

232606* 238306

Remarks:

Disc diameter 430 mm.



Representative image*

FCRK 005

European OEM numbers:

MERCEDES BENZ: 022 250 48 01 * 018 250 97 01 * 021 250 07 01 * 021 250 68 01 * 022 250 48 01 *
022 250 52 01 * 024 250 45 01 * 024 250 46 01 * 024 250 48 01 * 024 250 49 01 * 026 250 81 01 *
026 250 82 01

European cross references:

SACHS: 3400 121 501* 3400 700 648* 3400 700 649* 3400 700 702
VALEO: 827426

Remarks:

Disc diameter 400 mm.
Mounts double disc.



FCRK 008

European OEM numbers:

MERCEDES BENZ: 001 250 99 15 * 002 250 00 15 * 002 250 65 15 * 007 250 15 04 *
020 250 76 03 * 021 250 26 01 * 021 250 27 01 * 022 250 32 03 * 022 250 61 01 *
022 250 84 03 * 022 250 85 03 * 024 250 47 03

European cross references:

LUK: 640 3061 00
SACHS: 3400 000 493

Brazilian cross references:

SACHS: 3400 001 309* 3400 000 873* 6544

Remarks:

Disc diameter 395 mm.



FCRK 009

Brazilian OEM numbers:

MERCEDES BENZ: 001 250 99 15 * 002 250 00 15 * 002 250 65 15 * 006 250 30 04 *
006 250 67 04 * 009 250 45 04 * 017 250 06 03 * 018 250 92 03 * 019 250 42 03 *
019 250 64 01 * 019 250 91 03 * 021 250 60 03 * 021 250 61 03 * 022 250 81 01 *
024 250 17 03 * 024 250 20 03

Brazilian cross references:

SACHS: 636 3001 00* 6343* 6343 03*
3400 000 313* 636 3005 10* 232510

European cross references:

LUK: 643 3496 00
SACHS: 3400 700 364
VALEO: 827175* 827468* 827469

Remarks:

Disc diameter 362 mm.



FCRK 010

European OEM numbers:

IVECO: 504237890 * 504285997

European cross references:

LUK: 643 3496 00
SACHS: 3400 700 364
VALEO: 827175* 827468* 827469

Brazilian cross references:

SACHS: 6543 * 6543 03 * 3400 000 651 * 6457 * 6457
03 * 3400 000 858

Remarks:

Disc diameter 430 mm.



Representative image*

FCRK 011

European OEM numbers:

MAN: 81.303.050.234

European cross references

LUK: 640 3050 00

SACHS: 3400 700 364

VALEO: 827598

Remarks:

Disc diameter 395 mm.



Representative image*

FCRK 012

European OEM numbers:

SCANIA: 574917

European cross references:

LUK: 643 3 3450 00

SACHS: 3400 700 371 * 3400 700 611 *

3400 700 612 * 3400 700 663 * 3400 700 684

VALEO: 827190

Brazilian cross references:

SACHS: 6453 * 6453 03 * 3400 000 777

Remarks:

Disc diameter 430 mm.



Representative image*

FCRK 013

European OEM numbers:

MERCEDES BENZ: 023 250 29 01 * 023 250 30 01 * 024 250 70 03 *

024 250 71 03 * 025 250 36 01 * 025 250 38 01 * 025 250 60 01 *

025 250 61 01 * 025 250 90 03 * 026 250 53 03 * 026 250 54 03 *

027 250 41 01 * 027 250 42 01 * 027 250 51 01 * 027 250 52 01 *

027 250 99 01 * 028 250 00 01 * 028 250 57 01 * 028 250 58 01 *

028 250 73 01 * 028 250 86 01 * 029 250 10 01 * 029 250 25 01 *

European cross references

LUK: 643 3397 09


SACHS: 3400 700 529 * 3400 700 563

VALEO: 827442

Remarks:

Disc diameter 430 mm.

Available complete version FCRK 016 with pneumatic clutch actuator CLAC P 002.



Representative image*

FCRK 014

European OEM numbers:

RENAULT TRUCKS: 50 01 868 533 * 50 01 868 533

VOLVO: 85000907 * 85003972 * 85003973

European cross references:

LUK: 643 3318 33

SACHS: 3400 700 061 * 3400 710 066

VALEO: 827611

Remarks:

Disc diameter 430 mm.

Includes **FCRK 001 + CLAC P 001** pneumatic clutch actuator.



Representative image*

FCRK 015

OEM numbers:

VOLVO: 21580956 * 21580968 * 21580977 * 21615193 * 22078244 * 22429963 * 22809232 * 23417523
* 24157502 * 85002343 * 85013166 * 85013713 * 85013714 * 85022358 * 85022454 * 85026472

European cross references

LUK: 643 3424 33
SACHS: 3400 710 064
VALEO: 827612

Remarks:

Disc diameter 430 mm. Includes **FCRK 003 + CLAC P 001** pneumatic clutch actuator.



Representative image*

FCRK 016

European OEM numbers:

MERCEDES BENZ: 003 250 21 15* 003 250 35 15* 003 250 70 15* 003 250 86 15* 010 250 01 04*
010 250 30 04* 010 250 61 04 * 010 250 88 04* 024 250 70 03* 024 250 71 03* 025 250 90 03*
029 250 25 01

European Cross references:

LUK: 643 3397 33
SACHS: 3400 710 073
VALEO: 827629

Remarks:

Disc diameter 430 mm. Includes **FCRK 013 + CLAC P 002** pneumatic clutch actuator.



Representative image*

FCRK 018

European OEM numbers:

IVECO: 01908543 * 01908553 * 2992026 * 2992215 * 2992580 * 2992630 * 2994020 * 2994027 *
2994036 * 2995559 * 2995705 * 2995776 * 2995777 * 2996089 * 2996090 * 2996298 * 2996299 *
2996625 * 2996626 * 500054748 * 500054749 * 500055526 * 500055527 * 500086741 *
500086758 * 504122591 * 504129664 * 5801641006

European cross references:

LUK: 628 3383 00
SACHS: 3400 700 448
VALEO: 827161

Remarks:

Disc diameter 280 mm.



Representative image*

FCRK 019

European OEM numbers:


DAF: 1719211R

European cross references:

LUK: 643 3468 09
SACHS: 3400 700 690
VALEO: 827649

Remarks:

Disc diameter 430 mm.



Representative image*

FCRK 022

European OEM numbers:

DAF: 1546143 * 1714761R * 1816435R * 1820661R * 1935396 * 1935396R

European cross references

LUK: 643 3383 00

SACHS: 3400 700 467

VALEO: 827284

Remarks:

Disc diameter 430 mm.



Representative image*

FCRK 023

European OEM numbers:

DAF: 1714247R * 1814035 * 1814035R * 1851350R * 1935392R

European cross references:

LUK: 643 3222 00

SACHS: 3400 700 361

VALEO: 827282

Remarks:

Disc diameter 430 mm.



Representative image*

FCRK 024

European OEM numbers:

DAF: 1625968

European cross references:

LUK: 643 3493 00

SACHS: 3400 700 304 * 3400 122 101

VALEO: 805164

Remarks:

Disc diameter 430 mm.



Representative image*

FCRK 026

European cross references:

LUK: 643 3470 33

SACHS: 3400 710 092

VALEO: 827651

Remarks:

Disc diameter 430 mm.

Includes **FCRK 030 + CLAC P 003** pneumatic clutch actuator.



Representative image*

FCRK 028

European OEM numbers:

VOLVO: 20569145 * 20571156 * 20717563 * 20744252 * 223810 * 8172350 * 85000252 * 85000312
* 85000597 * 85000773 * 85003120 * 85013892

European cross references

SACHS: 3400 700 629* 3400 700 704* 39 3400 001 213
VALEO: 827272

Remarks:

Disc diameter 400 mm.



Representative image*

FCRK 029

Brazilian OEM numbers:

MAN: 2294 000 994 * 2T2 141 031 Q * 2T2 141 165 K

Brazilian cross references:

SACHS: 6174 * 6174 03 * 3400 001 174

Remarks:


Disc diameter 395 mm.

European cross references

LUK: 640 307100

SACHS: 3400 700 396

VALEO: 827597



Representative image*

FCRK 030

European OEM numbers:

DAF: 1715213R * 1719210R

European cross references

LUK: 643 3469 09

SACHS: 3400 700 693

VALEO: 827647

Remarks:

Disc diameter 430 mm.



Representative image*

FCRK 031

LATAM cross references:

SACHS: 3400 000 249

Remarks:

Disc diameter 430 mm.



Representative image*

FCRK 032

European OEM numbers:

MERCEDES BENZ: 002 250 44 15 * 002 250 49 15 * 002 250 63 15 * 002 250 83 15 *
003 250 14 15 * 003 250 48 15 * 003 250 69 15 * 004 250 89 04 * 005 250 62 04 *
013 250 21 03 * 013 250 30 03 * 013 250 38 03 * 014 250 68 03 * 015 250 23 03 * 015 250 27 03 *
015 250 32 03 * 016 250 17 03 * 016 250 18 03 * 016 250 35 03 * 016 250 36 03 * 016 250 37 03 *
016 250 38 03 * 016 250 39 03 * 016 250 43 03 * 016 250 44 03 * 016 250 46 03 * 017 250 47 03 *
017 250 48 03 * 017 250 49 03 * 017 250 78 03 * 017 250 87 03 * 018 250 20 03 * 018 250 36 03 *
018 250 93 03 * 018 250 94 03 * 019 250 08 03 * 019 250 66 03 * 019 250 68 03 * 019 250 90 03 *
020 250 58 03 * 023 250 73 03 * 023 250 97 03

European cross references

LUK: 643 3376 00 * 643 3378 00

Remarks:

Disc diameter 430 mm.



Representative image*

FCRK 033

LATAM cross references:

LUK: 3400 000 251

Remarks:

Disc diameter 395 mm.



Representative image*

FCRK 034

LATAM cross references:

SACHS: 500059778 * 500086764 * 504148905 * 504148906 * 504225011 * 504225051
LUK: 3400 700 461

Remarks:

Disc diameter 430 mm.



Representative image*

Take into consideration:

- Clutch Cover, Clutch Disc and Release bearing should be **dimensionally similar** to the replaced parts.
- The flywheel should be **in good condition**, without recesses on the friction surface. The friction surface should not be glassy (not to be burned out).
- Screws, for fixing the Clutch Cover with flywheel, must **not to be damaged**. Especially screws coil.
- The rear bearing on the Crankshaft is not to be damaged (turning with difficulties) – it is recommended that the rear bearing is **replaced**.
- Oil leaking – **no traces of oil or grease** on the Clutch (KIT). If they exist, fix the damaged places.
- Sleeve for directing the release bearing must to be **properly placed** and without damage.
- Release fork should **not to be worn out**, especially on the joints.
- Clutch axis should be **without damage or wear out**. Axis should be **lubricated** with a thin layer of grease.
- Clutch cord should be **without damage and properly assembled**.
- Central guiding release mechanism **not to be worn out**.
- During assembly, a tool should be used to align the disc – to take care that the right side of the clutch disc is **turned towards** the flywheel.
- Screws for fixing the Clutch Cover on the flywheel should be **tightened diagonally**.
- The **position** on the Gearbox should be chosen carefully during Clutch (KIT) assembly. Gearbox cannot "hang" from the Clutch Disc.

